



2023

CONTENTS

<i>Your Vision, Our Expertise</i>	1-2
<i>Our Work</i>	3-4
<i>Commercial Equipment</i>	7
Integral Back Bar Fridges.....	8
Integral Under Counter Fridges	8
Integral Minibars	9
Integral Kitchen Storage and Prep Fridges	9-11
Integral Impulse Fridges	11-12
Integral Vertical Display Fridges.....	12-14
Integral Horizontal Chest Freezers	15
Integral Display Freezers	15-16
Integral Scoop Ice Cream Display Freezers.....	16
Integral Gelato Display Freezers	16-17
Integral Kitchen Storage and Display Freezers.....	17-19
Integral Impulse Freezers	19-20
Ice Machines and Blast Chillers.....	20-21
Gastro Cooling Wells	21
<i>Food Service Equipment & Custom Solutions</i>	23
<i>Custom Solutions Range</i>	24
Kinco Custom Solutions	25-36
<i>Vision Cafe Display Case Range</i>	38
Floor Mounted Cases	39-40
Counter Top Cases	41-42
<i>Cool & Freezer Rooms</i>	43
<i>Supermarket and Convenience Store Equipment</i>	44
Integral Display	46-50
Remote Equipment	50-53
Integral Display Freezer	53-54
Ice Machines and Blast Chillers.....	55
Open Hot Display	55
MCC Hot and Cold Shelf Serve	56-57



Your Vision. Our Expertise.

Inter-Fridge are trusted suppliers of commercial refrigeration, providing solutions to a range of New Zealand businesses. As an independent, NZ-owned business since the 1990's owner, James Holdich is a key player in the industry offering valuable product knowledge and a dependable relationship to those who meet him.

We import high quality products from our trusted suppliers in Europe and Asia where we have built a solid relationship over many years. We update our product range regularly, bringing our customers the latest international trends while remaining compliant with NZ safety and industry standards.

Inter-Fridge has been active in reducing the environmental impact of commercial refrigeration in recent years and are focused on importing equipment that meets strict environmentally friendly criteria.



Competitive Pricing



24/7 Support



Nationwide Network



110 years combined
experience

YOUR COMMERCIAL REFRIGERATION SPECIALISTS.

Proudly supplying Display and Storage equipment to Supermarkets, Convenience stores, Cafes, Restaurants, Hotels and more.

The Inter-Fridge team have the experience and technical knowledge of the refrigeration industry and are trusted to provide insights and recommendations to business owners. When you speak to one of our team, you will speaking to an expert.

We have a nationwide service and dealer network, so we will have a contact near you for 24/7 technical support.

A Solutions Focused Approach to Commercial Refrigeration.

Inter-Fridge are proud to supply some of New Zealand's largest supermarkets and convenience stores with their storage and display solutions.

We supply high quality remote and integral equipment with a focus on maximising your merchandising opportunities in an efficient way.

We provide robust, cost-efficient installations that consider your store layout, brand guidelines and customer experience.

Our Objective has always been to supply quality cabinet solutions to Supermarkets & Convenience stores and Food Retail businesses

Our Commercial Food Service category is consistently growing with the latest product innovation. We offer a range of equipment for Cafes, Bars and Restaurants, Takeaway outlets, Bakeries, Hotels and more.

Inter-Fridge can also supply and install Cooler or Freezer Rooms to order. Contact us to talk through your requirements.

sales@interfridge.co.nz

[0800 244 553](tel:0800244553)

www.interfridge.co.nz

Our Work



"We have been working with Inter-Fridge for the past three years and have always found James and his team responsive, great to work with and very accommodating to our requirements. As a small but fast growing company it has been very helpful to work alongside a company that we can work with and rely on to provide great service and support to Karma Cola"

Patrick Coyle,
GM Australia/NZ and CFO
Karma Cola



Streetwise Coffee

"Price, capacity, quality, and reliability, have all been of a standard we simply couldn't get elsewhere.



Inter-Fridge has been outstanding to deal with, and David Bateman always helpful, focused, and capable of finding products that meet or exceed our requests every time".

Jol Glover, Owner/Operator
Streetwise Franchise Ltd



"I would like to thank Inter-Fridge for the help in setting up the new store, it is greatly appreciated. The new plant is running like a dream and the stock is flying off the shelves and out of the cabinets. It is certainly a huge upgrade compared to the old store, the goods are illuminated perfectly and it is impacting purchasing. On behalf of us all at Tekapo Four Square big thanks for all that you have done for us".

Russell Jefferies, Owner/Operator
Four Square, Tekapo



Helping companies all over New Zealand




"Dealing with Inter-Fridge has been an absolute pleasure; David has been thorough with communication during the whole process and has been fastidious with all the finer details.

David has a track record as an engineer and reputation in the market, which gave me all the confidence I needed to trust his opinion.

Inter-Fridge has treated this install as if it was for their own store and has gone over and above to ensure even the smallest defects have been rectified".

Tim Wilson, Owner/Operator
New World, Flaxmere





"Inter-Fridge have most definitely proven to be an asset to The Coffee Club New Zealand providing us with expert value and quality advice, allowing us to achieve significant cost savings for our franchisees in the fit out process. I am happy to give them my genuine endorsement"

Brad Jacobs, Managing Director
The Coffee Club Group



The service and advice that I have received through Inter-Fridge have been excellent along with competitive pricing, so for my future cabinet requirements, I'll certainly be approaching Inter-Fridge for advice and a quotation.

Hamish Bell, Owner/Operator
PAK'nSAVE, Hawera









COMMERCIAL EQUIPMENT

COMMERCIAL FRIDGES

The perfect solution for presenting food and drink in busy customer facing environments, with a range of display options including vertical display fridges, countertop and impulse fridges. Some display fridges come with branding options to add your custom advertising.

Practical Kitchen storage and preparation equipment is available for the busy commercial kitchen. Whether you require under-counter, countertop or vertical storage fridges, we will have something for you.

We are considerate of all your front of house and back of house commercial equipment. Please enquire for more product detail or to discuss what you are looking for.

COMMERCIAL FREEZERS

We have a range of display and storage freezers in vertical or horizontal profiles. Food grade stainless steel is used in all our products and our equipment is well tested to maintain industry standard. Whether you are looking for ice-cream freezers, counter freezers or ice makers, we will have something to meet your requirements.

INTEGRAL BACK BAR FRIDGES

Tefcold DB



Light Commercial

FEATURES

- Sliding or Hinged door options
- LED interior light
- Adjustable feet
- Easy access electronic thermostat
- Double glazed tempered glass
- Ventilated cooling
- Adjustable shelves
- Temp range +2C/+8C adjustable
- 230v/10 Amp/1 phase

Model	H	W	D
DB125H-I	870	600	520
DB200H-I	870	900	520
DB200S-I	870	900	515
DB300H-P	870	1355	520
DB300S-P	870	1355	515

INTEGRAL BACK BAR FRIDGES

CBB range

HEAVY DUTY



FEATURES

- Black exterior and interior
- Removable cassette
- Reversible doors
- Replaceable magnetic door gasket
- Lacquered evaporator
- Food safe, suitable for perishable product
- Available in LH or RH cassette options
- Optional heavy duty castors
- Glass doors hinged or sliding
- 2,3 or 4 doors
- 2 adjustable shelves per door
- Temp range +2C / +6C adjustable
- 230v/10 Amp/1 phase

Model	H	W	D
2 Door	885	1476	602
3 Door	885	2034	602
4 Door	885	2592	602

INTEGRAL UNDER COUNTER FRIDGES

Tefcold UR200S



FEATURES

- Stainless steel cabinet
- White inner liner
- Lock fitted as standard
- Digital thermometer
- Option: wheels or adjustable legs
- Reversible door
- 3 adjustable shelves
- Automatic defrost
- Temp range +2C/+8C adjustable
- 230v/10 Amp/1 phase

Model	H	W	D
UR200-S	850	600	600

INTEGRAL UNDER COUNTER FRIDGES

Tefcold UR200SG



FEATURES

- Stainless steel cabinet with glass door
- White inner liner
- Lock fitted as standard
- Digital thermometer
- Option: wheels or adjustable legs
- Reversible door
- 3 adjustable shelves
- Automatic defrost
- Temp range +2C / +8C adjustable
- 230v/10 Amp/1 phase

Model	H	W	D
UR200-SG	850	600	600

INTEGRAL MINIBARS

TM40



FEATURES

- Flat integrated evaporator
- Extra storage space
- Interior LED light
- Silent operation
- Low energy consumption
- Reversible door
- 2 adjustable shelf
- Black exterior
- Lock
- Adjustable feet
- Solid Door
- Temp range +2 to +8C adjustable
- 230v/10 Amp/1 phase

Model	H	W	D
TM40	560	402	450

INTEGRAL MINIBARS

TM42



FEATURES

- Flat integrated evaporator
- Extra storage space
- Interior LED light
- Silent operation
- Low energy consumption
- Reversible door
- 2 adjustable shelf
- Black exterior
- Lock
- Adjustable feet
- Glass Door
- Temp range +2 to +8C adjustable
- 230v/10 Amp/1 phase

Model	H	W	D
TM42G	560	402	450

INTEGRAL KITCHEN STORAGE & PREP FRIDGES

Tefcold CK Gastro range



Premium range / Heavy Duty

FEATURES

- New design
- Stainless steel
- Ventilated cooling
- Automatic defrost
- Self-closing doors
- Removeable table top without splashback
- Adjustable legs
- GN 1/1
- Temp range -2 to +10C adjustable
- 304 stainless grade
- 230v/10 Amp/1 phase

Model	H	W	D
CK7210/SP	880	1360	700
CK7310/SP	880	1795	700
CK7410/SP	880	2230	700

INTEGRAL KITCHEN STORAGE & PREP FRIDGES

Tefcold GC Gastro range



Value range / Heavy Duty

FEATURES

- Gastronorm compatible
- Digital controller /temp display
- All Stainless steel interior/ exterior incl stainless steel worktop
- 2- adjustable shelves per door
- Ventilated cooling /Auto defrost /self evaporating
- 210 Grade stainless steel
- Temp range -2 to +10C adjustable
- 230v/10 Amp/1 phase

Model	H	W	D
GC72-I	850	1360	700
GC73-I	850	1795	700

Tefcold Vertical Storage Fridge RK Gastro range



Premium range / Heavy Duty

FEATURES	Model	H	W	D
• New design	RK1010	2010	1340	700
• Temp range -2 to +8C adjustable	RK710	2010	740	830
• 2 hinged self closing solid doors				
• 6 wire shelves, white				
• Shelf dims 530 x 540mm				
• Grade 304 stainless steel				
• Auto defrost, electronic controller				
• R290 refrigerant				
• 230v/10 Amp/1 phase				

Tefcold Vertical Storage Fridge GUC Gastro range



Value range / Heavy Duty

FEATURES	Model	H	W	D
• Reversible solid door	GUC70-P 1door	2000	680	845
• Ventilated cooling	GUC140-P 2door	2000	1340	845
• Strong wheels				
• Stainless steel cabinet				
• Lock				
• Adjustable shelves GN2/1				
• Self-closing door solid stainless steel door (1 or 2 door options)				
• 210 Grade Stainless Steel				
• Temp range -2 to +8C adjustable				
• 230v/10 Amp/1 phase				

Tefcold Gastronorm Prep Counter



FEATURES	Model	H	W	D
• Fully automatic	SS7300	1050	1795	700
• Adjustable shelves				
• Self closing doors				
• Replaceable door gasket				
• Fan assisted cooling				
• Castors 2 lockable				
• Stainless steel				
• Digital controller and temp display				
• Temp range +2C / +10C adjustable				
• 230v/10 Amp/1 phase				

Tefcold Prep Counter SS Gastro range



FEATURES	Model	H	W	D
• Stainless steel	SS920	950	900	700
• Cooling well for GN1/6 pans	SS1435	950	1365	700
• Auto defrost				
• Hinged doors				
• 2 door model comes with 2 wire shelves				
• 3 door model comes with 3 wire shelves				
• 304 grade stainless steel				
• Temp range +2 to +10C adjustable				
• 230v/10 Amp/1 phase				

Tefcold Vertical Storage Fridge SD1380



Light commercial

FEATURES

- Fan assisted cooling / auto defrost
- Adjustable feet
- Reversible solid door
- 5 Adjustable shelves
- Temp range -2 to +8C adjustable
- White exterior & ABS interior
- 230v/10 Amp/1 phase

Model	H	W	D
SD1380	1840	595	600

Tefcold Vertical Storage Fridge UR 600S



Light commercial

FEATURES

- Reversible solid door
- Electronic thermostat
- Fan assisted cooling
- Lock
- Stainless steel exterior, ABS interior
- Adjustable shelves GN2/1
- Adjustable feet
- 230v/10 Amp/1 phase

Model	H	W	D
UR600S	1900	777	750

Tefcold FS60CP Fridge



FEATURES

- Illuminated canopy
- Fan assisted
- Counter top fridge
- Led lighting
- Hinged door
- 2 Adjustable shelves
- Adjustable feet
- +2 to +10C adjustable
- Fan assisted cooling
- White exterior, ABS interior
- 230v/10 Amp/1 phase

Model	H	W	D
FS60CP	720	455	440

Tefcold FSC100 Fridge



FEATURES

- Counter top cooler
- Sliding glass doors
- LED illuminated canopy
- Adjustable shelves x3 wire
- LED interior light
- Adjustable feet
- Fan assisted cooling
- Can hold 330ml and 500ml cans and bottles
- Temp range +2 to +10C adjustable
- White exterior, ABS interior
- Fan assisted cooling, auto defrost
- 230v/10 Amp/1 phase

Model	H	W	D
FSC100	930	655	390

INTEGRAL IMPLUSE FRIDGES

Inter-Fridge JHL78 Counter top fridge



FEATURES

- Bottom panel for advertising
- Slightly curved glass door
- Internal LED lighting
- Black exterior, stainless steel interior
- 3 adjustable shelves
- Temp range +2 to +8C adjustable
- 230v/10 Amp/1 phase

Model	H	W	D
JHL78	980	425	404

INTEGRAL IMPLUSE FRIDGES

Inter-Fridge BC85 Fridge



FEATURES

- Double glazed reversible curved glass door
- Internal light
- Internal fan
- Adjustable shelves
- Manual thermostat
- Temp range +2 to +8C adjustable
- Manual thermostat / Auto defrost.
- White exterior, ABS interior
- Grey door trim
- 230v/10 Amp/1 phase

Model	H	W	D
BC85	775	503	560

INTEGRAL IMPLUSE FRIDGES

Inter-Fridge JHL235 Chiller Tower



FEATURES

- Bottom panel for advertising
- Curved glass door
- Internal LED lighting
- Floor standing
- Temp range +2C to +10C adjustable
- White exterior & interior
- Fan Forced, auto defrost
- 230v/10 Amp/1 phase

Model	H	W	D
JHL235	1680	515	485

INTEGRAL VERTICAL DISPLAY FRIDGES

Tefcold FSC1200 Fridge



FEATURES

- Double Door Vertical Chiller
- Lightbox at the top
- Branding able to be added
- LED lighting throughout
- Options of hinged or sliding doors
- Approx 850L capacity
- Temp range +2 to +8C adjustable
- Fan forced, auto defrost
- White exterior, stippled steel interior
- 230v/10 Amp/1 phase

Model	H	W	D
FSC1200	2010	1200	790

**All black versions
available by
March 2023**

INTEGRAL VERTICAL DISPLAY FRIDGES

Tefcold FS1280



**Black exterior /
interior available
March 2023**

FEATURES

- Fully automatic
- Fan assisted cooling
- Lockable
- Adjustable shelves x 4
- Adjustable feet
- LED interior light with switch
- Temperature display
- Replaceable door gasket
- Reversible door
- White exterior, interior
- 220v / 10amp / single phase
- Temp range +2 to +8C
- 230v/10 Amp/1 phase

Model	H	W	D
FS1280	1635	595	600

Tefcold FSC1380 Fridge with Light Box



**Black exterior /
interior available
March 2023**

FEATURES

- Illuminated canopy
- Fan assisted cooling / auto defrost
- Internal light
- 5 adjustable shelves
- Reversible glass door
- Adjustable feet
- Temp range +2 to +8C adjustable
- White exterior / interior
- 230v/10 Amp/1 phase

Model	H	W	D
FSC1380	1980	595	600

Tefcold FS1380



**Black exterior /
interior available
March 2023**

FEATURES

- Fan assisted cooling / auto defrost
- Internal light
- 5 adjustable shelves
- Reversible glass door
- Adjustable feet
- Temp range +2 to +8C adjustable
- White exterior / interior
- 230v/10 Amp/1 phase

Model	H	W	D
FS1380	1840	595	600

INTEGRAL VERTICAL DISPLAY FRIDGES

Tefcold FSC890 Vertical Fridge



FEATURES

- Double Door Vertical Chiller
- Lightbox at the top
- Branding able to be added
- LED lighting throughout
- Options of hinged or sliding doors
- approx 650L capacity
- Temp range +2 to +8C adjustable
- Hinged or Sliding doors
- Fully automatic
- Vertical LED Interior light with switch
- Fan assisted cooling
- Self closing doors
- LED illuminated canopy with switch
- Adjustable full width shelves
- Adjustable feet with rollers to rear
- White exterior / interior
- 230v/10 Amp/1 phase

**Black exterior / interior
available March 2023**

Model	H	W	D
FSC890-hinged	1990	890	740
FSC890-sliding	1990	890	740

INTEGRAL VERTICAL DISPLAY FRIDGES

Tefcold FS890 Fridge



**Black exterior / interior
available March 2023**

FEATURES

- Fully automatic
- Fan assisted cooling
- Adjustable shelves
- Adjustable Feet with rollers to rear
- Vertical LED interior light with switch
- Temperature display
- Self closing hinged doors
- White exterior / interior
- Temp range +2C/+8C adjustable
- 230v/10 Amp/1 phase

Model	H	W	D
FS890	1990	890	740

INTEGRAL VERTICAL DISPLAY FRIDGES

Tefcold NC range



**Black interior
available March 2023**

FEATURES

- 1, 2 or 3 glass doors
- Large display capacity
- Adjustable wire shelves
- LED lighting
- Fully automation, fan assisted cooling
- Can hold a larger capacity than the FSC range
- Matching vertical freezer lineup available.
- Black or white exterior
- Temp range +2 to +8C adjustable
- 230v/10 Amp/1 phase

Model	H	W	D
NC2500	1990	680	700
NC5000	1990	1370	700
NC7500	1990	2057	700

INTEGRAL VERTICAL DISPLAY FRIDGES

Tefcold TFW365 - 2S Wine Cooler



FEATURES

- Internal LED light
- 15 wooden drawing shelves
- Tinted glass door for protection of wine
- Black exterior
- Stainless steel door frame
- Adjustable feet
- Reversible door
- Electronic thermostat
- Lock fitted as standard
- Charcoal filter included
- Stainless steel door handle
- Temp range +2 to +10C adjustable
- 230v/10 Amp/1 phase

Model	H	W	D
TFW365-2S	820	595	680

INTEGRAL VERTICAL DISPLAY FRIDGES

Tefcold FS1220 Fridge



FEATURES

- Fan assisted cooling
- Internal light
- Reversible glass door
- 3 adjustable shelves
- Adjustable feet
- Temp range +2 to +8C adjustable
- Fully automatic
- Self closing door
- White exterior, ABS interior
- 230v/10 Amp/1 phase

Model	H	W	D
FS1220	1315	595	600

**Black exterior / interior
available March 2023**

INTEGRAL VERTICAL DISPLAY FRIDGES

Tefcold TFW160S wine cooler



FEATURES

- Internal LED light
- 4 wooden drawing shelves
- Tinted glass door for protection of wine
- Black exterior
- Stainless steel door frame
- Adjustable feet
- Reversible door
- Electronic thermostat
- Lock fitted as standard
- Charcoal filter included
- Stainless steel door handle
- Temp range +2 to +10C adjustable
- 230v/10 Amp/1 phase

Model	H	W	D
TFW160S	820	595	570

INTEGRAL HORIZONTAL CHEST FREEZERS

Tefcold FR range



FEATURES

- -14 to -24°C
- Stainless steel worktop/lid
- Castors fitted
- Adjustable thermostat
- 1 x internal basket
- Handle with lock
- White exterior
- 230v/10 Amp/1 phase

Model	H	W	D
FR205S	945	734	700
FR305S	945	984	700
FR405S	945	1284	700
FR505S	945	1504	700

INTEGRAL HORIZONTAL CHEST FREEZERS

Tefcold CF700S



FEATURES

- -14 to -24°C
- Stainless steel worktop/lid
- Castors fitted
- Adjustable thermostat
- 1 x internal basket
- Handle with lock
- White exterior
- 230v/10 Amp/1 phase

Model	H	W	D
CF700S	830	2060	716

INTEGRAL DISPLAY FREEZERS

Tefcold Vertical Display Freezer - NF range



FEATURES

- Matching chiller lineup for consistent display in store
- Black or white exterior
- 1, 2 or 3 doors
- Automatic defrost / fan forced
- Self-closing heated glass door
- LED lighting
- Adjustable shelves and feet
- Temp range -14 to -22C adjustable
- 5 shelves + base
- 230v/10 Amp/1 phase (NF2500 & NF5000)
- 230v/15 Amp/1 phase (NF7500)

Model	H	W	D
NF2500	2020	680	720
NF5000	2020	1370	720
NF7500	2020	2057	700

INTEGRAL DISPLAY FREEZERS

Tefcold UF200VG



FEATURES

- Automatic defrost / fan forced
- Lock
- Adjustable shelves
- Adjustable feet
- LED interior light
- Ventilated cooling
- White exterior / ABS interior
- Temp range -14 to -22C adjustable
- 230v/10 Amp/1 phase

Model	H	W	D
UF200VG	850	600	600

INTEGRAL DISPLAY FREEZERS

Tefcold IC SC range



FEATURES

- Flat glass sliding lids with lock
- Inner liner of stucco aluminium
- Lift out baskets
- Castors fitted
- Adjustable thermostat
- External thermometer
- 1 x Internal basket
- Height with wheels 892mm
- Temp range -14 to -22C adjustable
- White exterior
- Manual defrost
- 230v/10 Amp/1 phase

Model	H	W	D
IC100SC	798	570	630
IC200SC	798	720	630
IC300SC	798	1010	630
IC400SC	798	1300	630
IC500SC	798	1550	630
IC700SC	798	2060	630

INTEGRAL GELATO DISPLAY FREEZERS

Tefcold SCEB curved glass freezers



FEATURES

- Curved sliding lids
- Static cooling/manual defrost
- Digital temperature display
- Defrost drain
- Lock
- Fan assisted condenser
- Castors 2 lockable
- 1 Divider per basket (except IC100SCEB)
- Temp range -14 to -22C adjustable
- White exterior, stippled steel interior
- 230v/10 Amp/1 phase

OPTIONS

- A canopy version for scooping ice cream is also available.

INTEGRAL SCOOP ICE-CREAM DISPLAY FREEZERS

Tefcold SCE canopy range



FEATURES

- Static cooling / manual defrost
- Castors • Lock
- Digital temperature display
- Flat sliding lid
- Sloping display for excellent presentation
- Napoli pans (stainless pans not required)
- Defrost drain
- Fan assisted condenser
- Curved glass canopy
- Storage under tubs
- Optional 4 litre tub frames available – POA
- Holds napoli size plastic tubs that fit inside stainless
- Temp range -14 to -22C adjustable
- White exterior, stippled steel interior
- 230v/10 Amp/1 phase



Model	H	W	D
IC200SCE 4 tub	1295	720	615
IC300SCE 7 tub	1295	1010	615
IC400SCE 9 tub	1295	1300	615
IC500SCE 11 tub	1295	1550	615

INTEGRAL GELATO DISPLAY FREEZERS

Tefcold UDRS range



FEATURES

- Single row display
- Fully automatic
- Static cooling
- Accepts Napoli pans (not supplied)
- Castors
- Understorage
- Interior light switch
- Curved glass canopy
- Lift up rear door
- Temp range -14 to -22C adjustable
- White exterior, stippled steel interior
- 230v/10 Amp/1 phase

Model	H	W	D
UDRS7	1232	1341	723
UDRS9	1232	1656	723

OPTIONS

- Scoop Wash • 7 or 9 pan

MX range Gelato Display Freezer



FEATURES

- Inclined display area
- Supplied with S/S 5L pans
- Single glazed heated glass for reduced condensation
- Rear sliding plexi glass doors
- Square and curved glass profile
- Castors
- Temp range -14 to -22C adjustable
- Stainless steel interior - colour choice exterior
- 230v/10 Amp/1 phase

Model	H	W	D
MX16-G	1251	1550	1088
MX16-GS	1251	1555	1088
MX18-G	1251	1740	1088
MX18-GS	1251	1740	1088
MX20-G	1251	1950	1088
MX20-GS	1251	1950	1088
MX24-G	1251	2300	1088
MX24-GS	1251	2300	1088

Tefcold Counter Freezer CF range



Premium range

FEATURES

- Removeable top without splashback
- Stainless steel interior / exterior
- Temp range -14C to -22C
- 2 or 3 door models
- 2 x adjustable shelves
- Grade 304 stainless steel
- R290 refrigerant
- Fan forced / auto defrost
- Adjustable feet
- 230v/10 Amp/1 phase

Model	H	W	D
CF310/SP	880	1795	700
CF210/SP	880	1360	700

Mini Cream Counter top display



FEATURES

- Static cooling
- Adjustable feet
- Temperature display
- Accepts napoli pans (not supplied)
- Hinged low E glass lid
- Temp range -14 to -22C adjustable
- Stainless steel interior
- 230v/10 Amp/1 phase

Model	H	W	D
2V- 2pan	345	490	790
3V - 3pan	345	654	790

Tefcold Counter Freezer GF range



**Supplied without
Splashback**

Value range

FEATURES

- All stainless steel interior/ Exterior
- Gastronorm compatible
- 2 adjustable shelves per door
- Digital controller /temp display
- Mounted on adjustable feet
- Ventilated Cooling/Auto defrost/self evaporating
- 210 Grade Stainless Steel
- Temp range -14C to -22C
- 230v/10 Amp/1 phase

Model	H	W	D
GF72-P	850	1360	700
GF73-P	850	1795	700

Tefcold UF600S



Light Commercial

FEATURES	Model	H	W	D
• Stainless steel exterior / ABS interior	UF600S	1900	777	750
• Static cooling	UF600S-i	1900	777	750
• Lock • Fixed shelves				
• Adjustable feet with rollers to rear				
• Digital controller and temp display				
• Replaceable door gasket				
• Reversible door				
• R290 refrigerant in the UF600S-i model				
• Temp range -10 to -22C adjustable				
• Fan assisted manual defrost				
• 230v/10 Amp/1 phase				

Tefcold Vertical Storage Freezer RK range



Premium range

FEATURES	Model	H	W	D
• New design	RK710	2010	740	830
• Reversible solid doors	RK1010	2010	1340	700
• Stainless steel				
• Lockable				
• Self closing doors				
• 6 wire shelves, adjustable				
• Temp range -24 to -18C				
• 304 Grade stainless steel				
• GN compatible				
• Fan assisted, manual defrost				
• 230v/10 Amp/1 phase				

CoolHead vertical storage freezer RN range



Premium range

FEATURES	Model	H	W	D
• 4 rows adjustable shelves	RN1390	2000	1390	810
• Digital controller/temp display	RN740	2000	740	810
• Mounted on adjustable feet	RN710	2000	710	810
• 10 amp/1 phase				
• Ventilated cooling/auto defrost/self evaporating				
• All s/steel structure, gastronorm compatible				
• 304 Grade Stainless Steel				
• Temp range -14 to -22C adjustable				
• GN compatible				
• 230v/10 Amp/1 phase (RN710 & RN740)				
• 230v/15 Amp/1 phase (RN1390)				

Tefcold Gastronorm vertical freezer GUF range



Value range

FEATURES	Model	H	W	D
• Fully automatic	GUF70-P	2000	680	845
• Castors 2 lockable	GUF140-P	2000	1340	845
• Fan assisted cooling				
• Interior light				
• Lock				
• Replaceable door gasket				
• Adjustable shelves				
• Digital controller and temperature display				
• Accepts 2/1 Gastronorm shelves/pans (pans not supplied)				
• 201 Grade Stainless Steel				
• Temp range -14 to -22C adjustable				
• 230v/10 Amp/1 phase (GUF70-P)				
• 230v/15 Amp/1 phase (GUF140-P)				

Tefcold Stainless Steel storage Freezer UF200S



FEATURES

- Stainless steel exterior, ABS interior
- Static cooling
- White interior liner
- Reversible door
- 3 fixed shelves
- Digital thermometer
- Temp range -10 to -20C adjustable
- Fan assisted manual defrost
- 230v/10 Amp/1 phase

Model	H	W	D
UF200S	850	600	600

Tefcold storage freezer with solid door UFFS370SD



Light Commercial

FEATURES

- Digital temperature display
- 6 fixed freezing shelves
- Adjustable feet
- Defrost water drain
- Lock
- Replaceable door gasket
- Manual defrost
- Temp range -10 to -20C adjustable
- White exterior, ABS interior
- 230v/10 Amp/1 phase

Model	H	W	D
UFFS370SD	1840	595	640

Inter -Fridge SD208



FEATURES

- Glass door slim line freezer
- Fan forced refrigeration
- 5 tier adjustable shelving
- Auto defrost
- Light Box
- Temp range -10 to -20C adjustable
- White exterior, ABS interior
- LED to interior
- 230v/10 Amp/1 phase

Model	H	W	D
SD208	1880	410	560

Tefcold impulse freezer UF50GCP



FEATURES

- Static cooling
- Adjustable shelves
- Adjustable feet
- LED light canopy with switch
- Lock • LED interior light with switch
- Self-closing door
- Replaceable door gasket
- Door not reversible
- Temp range -12C to -18C adjustable
- White exterior, stippled steel interior
- 230v/10 Amp/1 phase

Model	H	W	D
UF50GCP	657	570	530

Tefcold glass door freezer UF100G



FEATURES

- Internal LED lighting
- Triple glazed door
- Lockable
- Manual defrost
- Temp range -10 to -20C adjustable
- 3 adjustable shelves
- 230v/10 Amp/1 phase

Model	H	W	D
UF100G	670	610	540

ICE MACHINES & BLAST CHILLERS

CoolHead Blast Chiller/Freezer RF range



FEATURES

- Great for small spaces
- Buzzer alarm
- Opening door alarm
- Timed blast chilling cycle
- Automatic storage mode at the end of the blast chilling cycle
- Stainless steel exterior and interior
- R290 refrigerant
- RF50A has a separate button for ice-cream cycle and for a -40C cycle
- 230v/10 Amp/1 phase

RF23A:

- Chilling Capacity: +45 to +3c = 90mins
- Freezing Capacity: +45 to -18c = 240mins
- Chilling output 7kg
- Freezing output 5kg

RF50A:

- Chilling Capacity: +90 to +3c = 90mins
- Freezing Capacity: +90 to -18c = 270mins
- Chilling output 15kg
- Freezing output 10kg

Model	H	W	D
RF23A	437	660	540
RF50A	850	760	725

ICE MACHINES & BLAST CHILLERS

Kastel Under Counter Ice Makers KP range



- KP37/15: 37kg/24hrs, 15 kg storage
- KP45/15: 45kg/24hrs, 15kg storage
- KP50/25: 50kg/24hrs, 25kg storage



FEATURES

- Cube ice maker 18gr
- Suitable for reduced spaces
- Frontal air circulation
- Easy maintenance
- Stainless steel body
- 230v/10 Amp/1 phase

Model	H	W	D
KP 37/15	685	500	585
KP 45/15	685	500	585
KP 50/25	795	500	585

Tefcold Dual Temp Uni - Drawer



FEATURES

- Dual temperature switchable between chiller and freezer
- On UD2 it is possible to have one drawer set as chiller and one as freezer
- Fan assisted cooling
- Castors 2 lockable
- Digital controller and temp display
- Replaceable door gasket • Stainless steel
- 230v/10 Amp/1 phase

Model	H	W	D
Tefcold UD1-2	565	905	700
Tefcold UD1-3	565	1230	700
Tefcold UD2-2	830	905	700
Tefcold UD2-3	830	1230	700



Granita Machines



FEATURES

- European design
- Fast to freeze
- New push and pull taps preventing product pour issues
- Thorough and continuous product mixing
- 12lt per bowl capacity
- Brushed stainless steel body
- 230v/10 Amp/1 phase

Model	H	W	D
Granitime 1 bowl	820	200	480
Granitime 2 bowl	820	400	480
Granitime 3 bowl	820	600	480



Tefcold Drop In Cooling Wells CWV range



FEATURES

- Stainless steel
- Accepts GN1/1 pans not supplied
- Fan assisted cooling
- Electronic thermostat
- Temp range +2 to +8C
- Dividers • 304 grade stainless steel
- 230v/10 Amp/1 phase

Model	H	W	D
CWV2	636	788	688
CWV3	636	1122	688
CWV4	636	1456	688
CWV5	636	1790	688






LA
Chouquette
PÂTISSERIE
PÂTISSERIE

PARIS

DIABLO

DIABLO



FOOD SERVICE EQUIPMENT & **CUSTOM** SOLUTIONS

Our high-quality food service cabinets are imported from world-wide suppliers and are made to order.

With energy and cost efficiencies in mind, these cabinets are made to NZ food safety standards with food grade stainless steel and glass. All equipment is easy to clean and maintain providing great visibility and ease of access of your product.


Cabinet options include Hot, Cold, Ambient and Bain Marie with drop in and floor models available. We have drawings available upon request.

Talk to us about how we can help with your store set up and completion.

CUSTOM SOLUTIONS RANGE

Our Custom Solutions service is all about your ideas. When you need bespoke equipment that you can't find elsewhere, our custom service is for you. These cabinets are made to order with your specifications. We ensure all equipment is made to NZ food safety standards with food grade stainless steel and glass. Drawings can be supplied for store fitouts and we work with you from initial brief to installation.






POA

FEATURES

- Static refrigeration
- Marble/Granite/Stainless Steel surface with
- permafrost
- Widths to suit
- Suitable for preparing and presenting cold and
- frozen confectionery
- Options: Curved or Square profile sneeze guard

HIGH-VOLUME BAKERY/CAFE CURVED & STRAIGHTFRONT & CORNER COUNTERS




FEATURES

- Custom stainless steel bench
- Curved front or Straight front
- Self-service or serviced
- Modules: Heated/ Cold/ Ambient
- Cold Tower module - only with Corner Counter option
- Width & height to suit

POA

Various sizes available



Kinco OPE Range



FEATURES

- Suitable for beverage/dairy/deli goods display and storage
- Stainless Steel
- Nightblind
- Rear Access
- Widths to suit
- Standard Profile 1800mm height to available in 900mm / 1200mm / 1800mm wide
- Low Profile: 1600mm height
- +2C to +6C temp.
- Digital controller temp. indicator


POA

Drop in Sushi Cabinet



FEATURES

- LED lights
- Sliding rear doors
- Suited to Food Court & Quick Service
- Restaurants
- Models: widths to suit
- Bi-static refrigerated case
- +0 / +4c




POA

Salad Well Cabinet



FEATURES

- Static or ventilated cooling
- LED lights
- Heated glass
- Suited to Foodcourts &
- Quick Service Restaurants
- Models: 3/4/5/6 x 1/1 Pan
- Temp +2c / +6c




POA

Drop in Bain Marie




FEATURES

- LED lights
- Suited to Foodcourts &
- Quick Service Restaurants
- Models: 3/4/5/6 x 1/1 Pan
- Heat Lamps to canopy
- Wet Dry element to base
- Temp +50c / +80c



POA

Sushi Concept Store - KI-SU-Concept




FEATURES

- Hot & Cold sections
- Corian style joinery
- Size to suit
- Sneeze guard option

POA

KINCO CUSTOM SOLUTIONS - HIGH VOLUME RANGE

Meat Aged Cabinet - KD-253-A42



A fully stainless steel dry aging meat cabinet with clear glass front. Meat can be hung from the rail or placed on the shelves. These are proving popular in dining areas of restaurants and deli's and more recently in supermarkets. This makes it possible to store meat cuts where temperature, humidity and ventilation must be controlled, resulting in tender meat with strong flavour.

FEATURES

- Adjustable stainless steel shelving
- LED lighting throughout
- Double-glazed heated frame
- Castors
- Fan forced, self-evaporating, auto-defrost
- Reversible doors
- Digital controller and temperature display
- Temp +1c / +4c

POA


Sandwich and Wrap Counter - KI-HV-SW2480



FEATURES

- Air assisted refrigeration
- Under bench storage
- Wire shelves
- 1/6 pans supplied
- Refrigerated storage
- Temp +4c / +6c

Various sizes available




POA

High Volume Pizza Counter - KI-HV-PP2500



FEATURES

- Air assisted refrigeration
- Stainless steel under bench shelf
- Lids on ingredient rail
- 1/3 pans supplied
- Temp +1c / +5c



POA


Kebab Counter - KI-HV-SW2480



FEATURES

- Air assisted refrigeration
- Static well
- 6 x 1/1 Gastronorm capacity pans supplied
- Temp +2c / +6c

Various sizes available



POA

C5 Cabinet Range




POA



PRODUCT DESCRIPTION

Stainless steel interior and exterior cabinets available as Hot or Chilled/Ambient models.

DIMENSIONS



FEATURES

- Double glazed heated glass throughout to resist condensation on glass and frames.
- Rear door access
- 4 x stainless steel adjustable wire shelves + deck (5 shelves in the hot cabinet)
- Vertical LED lighting
- Fan forced evaporator in canopy
- Digital controller and thermometer
- Dimensions to suit – 1800mm or 2000mm high
- Cold and temperature controlled ambient options

**All cabinets available in widths:
1200mm, 1800mm.**

C4 Cabinet Range



POA



PRODUCT DESCRIPTION

Stainless steel cabinets available in Hot, Chilled or Ambient models.

Straight profile glass with sliding doors to front and/or rear providing self-serve options to customers.


Also available as an open-front chilled cabinet at 1200mm or 1500mm wide.

FEATURES


- Stainless steel interior & exterior
- Internally ventilated
- Fully automatic
- Standard height 1350mm
- Additional height option 1500mm
- Chilled cabinets have 3 shelves
- Hot and Ambient cabinets have 4 shelves

All cabinets available in widths:
900mm, 1200mm, 1500mm, 1800mm.

DIMENSIONS



C4 Cold and Hot case




FEATURES

- All stainless steel structure
- Ventilated cooling, integral condensing unit
- Double glazed panels to front & sides
- Double glazed rear sliding doors
- 3 adjustable shelves + base in Hot case
- 4 adjustable shelves + base in Cold case
- Ventilated heating throughout Hot case
- Cold case +2/+6C
- Hot case +50/+80C

POA

C4-F (M) Case



FEATURES

- 900mm and 1200mm versions of each heated, cold or ambient section.
- 4 adjustable shelves + base in Hot case
- 3 adjustable shelves + base in Cold and Ambient case
- Cold & temperature controlled Ambient case +2/+10c
- Hot case +50/+80c
- Double glazed front sides and rear sliding doors
- Ventilated heating throughout Hot case

POA

CCT Range

POA



PRODUCT DESCRIPTION


A curved glass profile cabinet available as hot, chilled or ambient counter-top cabinets in stainless steel throughout. Sliding rear door for service to customers.

FEATURES

- Double glazed throughout
- Digital controller / temperature indicator
- LED lighting throughout
- Ambient cabinets have 3 shelves
- Hot cabinets have 4 shelves
- Chilled cabinets have 2 shelves
- +2/+6°C refrigeration system with drop-in condensing unit
- Temp +60/+80c

All cabinets available in widths:
900mm, 1200mm, 1500mm, 1800mm.

DIMENSIONS



Bain Marie Range



Hot Food Cabinet

PRODUCT DESCRIPTION

Available for Hot or Cold food. The Hot Bain Marie will sit on top of your cabinet, while the cold version can be dropped into the counter.


Manufactured from 304 grade S/steel, fan forced heating to the hot and cold cross flow display wells. Both hot and cold display wells are Gastronorm compatible.

FEATURES

- Both Cold & heated versions are also available with island & self service options
- Canopies or sneezeguards are available with square, angled or curved profile toughened glass
- LEDs in the Hot Bain Marie versions & cold versions Sliding glass doors to rear of both hot & Cold versions
- including hinged glass to front of both hot & Cold versions Electronic controllers for both hot & cold cases
- including digital temp display

Various sizes modules available :
1200w, 1500w, 1800w & 2200w.

DIMENSIONS



SCT Range



PRODUCT DESCRIPTION


The SCT cabinet range is the square profile counter-top version of our CCT cabinet. Available as hot, chilled or ambient that can either drop in to the counter or be placed on top of the counter.

FEATURES


- Full stainless steel structure
- LED lighting throughout
- Wire shelving in the hot cabinet (x4 shelves)
- Glass shelving in the ambient and chilled cabinet (x3 shelves)
- Sliding doors to front or rear
- Double glazed glass on ambient and chilled models
- Single glazed, toughened glass on hot models
- Chilled and ambient (temperature controlled) available with a condensing unit
- Chilled models (drop in model) 520W x 385D x 400H
- Counter top models 650D x 830H
- Heated: 50c/+80c Cold: +2c/+6c

Available in widths 900mm, 1200mm, 1500mm.

DIMENSIONS



3m Serveover case - KD-253-B54-21




FEATURES

- Piped static refrigerated display deck
- All stainless steel structure including plinth
- Solid double glazed to front and side panels
- Double glazed sliding rear doors
- LED to canopy
- Integral or remote condensing unit option
- Cold temp range +2C/+6C

POA




NC2-S Cold Case



FEATURES

- W1500 x 800D x 1500H
- Double glazed throughout
- All stainless steel exterior & interior
- 1x adjustable shelf and 2x adjustable shelves in refrigerated storage
- LED to shelves, base and under storage
- Integral condensing unit
- Fan forced / Auto defrost / Self evaporating
- Temp range +2/+6C

C1 (M) Cold Gastro Case



FEATURES


- H1330 x D1270
- All stainless steel structure interior & exterior
- Removable panels for further exterior changes
- Interior access for serving electrical wiring
- Safety glass gantry includes LEDs & Halogen heat lamps
- Cross flow heated stainless steel display well
- With wet/dry elements to accept up to 6 x 1/1 GN pans
- 220v / 15amp / 1 phase



VISION CAFE DISPLAY CASE RANGE

Our range of cafe equipment includes various cake display cabinets, incorporating chilled, heated and ambient models.

Self serviced cases will be available from March 2023



Refrigerated Low Line 2 Tier



FEATURES

- 240V
- Cool White LED strip lighting
- Black brushed 304 stainless steel body
- Removable front and side panels
- Removable condenser filter for easy cleaning
- 1 level frosted glass shelf with stainless steel base shelf
- R290 refrigerant
- ITO heated tempered glass front, top and sides
- Ambient 32C at 82% RH
- Unit can be run as ambient display by turning on lights only
- Ventilated cooling system
- Auto defrost
- Operating temperature +2 to +8C
- Shelf load capacity 30kg
- 230v/10 Amp/1 phase

Model	H	W	D
INTJ2730	1000	900	680
INTJ2740	1000	1200	680



FEATURES

- 240V
- Cool White LED strip lighting
- Black brushed 304 stainless steel body
- Removable front and side panels
- Removable condenser filter for easy cleaning
- 2 levels frosted glass shelf with stainless steel base shelf
- R290 refrigerant
- ITO heated tempered glass front, top and sides
- Ambient 32C at 82% RH
- Unit can be run as ambient display by turning on lights only
- Ventilated cooling system
- Auto defrost
- Operating temperature +2 to +8C
- Shelf load capacity 30kg
- Hot display features wire shelving
- Hot temperature range 40 to 75C
- 230v/10 Amp/1 phase

Model	H	W	D
INTV3730	1200	900	680
INTV3740	1200	1200	680
INTV3750	1200	1500	680

INTHV3730 (Hot)	1200	900	680
INTHV3740 (Hot)	1200	1200	680

Mid Line 3 Tier - Square Profile Hot & Cold



FLOOR MOUNTED CASES

Hi Line 4 Tier - Square Profile Hot & Cold



FEATURES

- 240V
- Cool White LED strip lighting
- Black brushed 304 stainless steel body
- Removable front and side panels
- Removable condenser filter for easy cleaning
- 3 levels frosted glass shelf with stainless steel base shelf
- R290 refrigerant
- ITO heated tempered glass front, top and sides
- Ambient 32C at 82% RH
- Unit can be run as ambient display by turning on lights only
- Ventilated cooling system
- Auto defrost
- Operating temperature +2 to +8C
- Shelf load capacity 30kg
- Hot display features wire shelving
- Hot temperature range 40 to 75C
- 230v/10 Amp/1 phase



Model	H	W	D
INTSV4730	1350	900	680
INTSV4740	1350	1200	680
INTSV4750	1350	1500	680

INTHV4730 (Hot)	1350	900	680
INTHV4740 (Hot)	1350	1200	680

FLOOR MOUNTED CASES

Refrigerated Salad / Cake 3 Tier GN Pan range - Hot & Cold





FEATURES

- 240 V
- 3 Tier salad / cake display
- Supplied with either 6, 9 or 12 x 1/1 clear GN pans
- Supplied with 2 levels of frosted glass shelves & stainless steel base shelf
- Cool white LED lighting
- Black brushed 340 stainless steel body
- Removable front & side panels
- Removable condenser filter for easy cleaning
- R290 refrigerant
- ITO heated tempered glass front, top and sides
- Ambient 32C at 82% RH
- Ventilated cooling system
- Auto defrost
- Operating temperature +2 to +8C
- Hot display supplied with wire racking
- 230v/10 Amp/1 phase

Model	H	W	D
INT3830	1350	900	830
INT3840	1350	1200	830
INT3850	1350	1500	830

INTH3830 (Hot)	1350	900	830
INTH3840 (Hot)	1350	1200	830



Self Serviced versions available March 2023

COUNTER TOP CASES



Heated Showcase



FEATURES

- Digital controller
- ABS and glass exterior, stainless steel interior
- Adjustable shelf + base
- Top shelf depth 290mm
- Base depth 350mm
- GN compatible
- Temp range +40/+75c adjustable
- Double glazed sliding doors to rear
- Low level fan noise
- 230v/10 Amp/1 phase

Model	H	W	D
INTH0530	740	900	540
INTH0540	740	1200	540



COUNTER TOP CASES

Refrigerated Showcase



FEATURES

- Digital electronic thermostat, auto defrost
- 304 stainless steel interior
- LED strip lighting
- Low noise
- Temp diff. among shelves 1-2C
- Ambient temp at 32C, RH 82%
- Temp range +2 to +8C
- Top shelf 290mm deep
- Base shelf 350mm deep
- Distance from base to mid shelf 200mm
- Distance from mid shelf to top 180mm
- 230v/10 Amp/1 phase

Model	H	W	D
INT0530	820	900	540
INT0540	820	1200	540

Gelato showcase freezer



FEATURES

- Supplied with clear polycarbonate 1/3 size GN pans (100mm deep)
- Perfect for scoop or prepacked ice cream
- Heated front glass
- Auto defrost
- Grade 304 Stainless Steel
- LED strip lighting
- 30°C Ambient Temperature
- Temp range 14C to -22C
- 230v/10 Amp/1 phase
- 900mm wide is supplied with 4 GN pans
- 1200mm wide is supplied with 5 GN pans



Model	H	W	D
INTI0530	790	900	540
INTI0540	790	1200	540

Condiment / Ingredient Chiller



FEATURES

- Accommodates a full size 1/1 GN pan x 150mm deep or any combination of 1/2, 1/3, 1/6 or 1/9 size pans.
- ABS body
- Copper evaporator
- Low noise level
- Low energy consumption
- Pans not included
- Eco insulation CFC free
- Easy to clean
- Temp range +2 to +10C
- 230v/10 Amp/1 phase



Model	H	W	D
INT0001	530	600	400

COOL & FREEZER ROOMS

NZ sourced. Flat-pack or fully assembled on site.



Cool Rooms

-10 to +10C
adjustable



Freezer Rooms

-5 to -23C
adjustable



Wall thickness

100mm



**50% more
efficient** than
Polystyrene

SIZES AVAILABLE:

1.4 x 1.8m

2.0 x 2.0m

2.0 x 2.4m

2.4 x 2.4m

3.0 x 2.4m

- Delivery of flat pack to site is available upon request.
- Freezer versions of the above cool rooms are an additional
- Larger cool rooms & freezer rooms are available if required. Please enquire.
- Where a technician is required to assist a client who has purchased a flat pack, and then decides against self assembly, the cost of this can be quoted upon request.
- All rooms are delivered as Flat packs which are generally available ex stock, Allow approx 2-4 weeks from order placement.
- 12 months parts and labour warranty
- Full payment is required at time of order confirmation. White interior / exterior

STANDARD FEATURES



Quality hinges / lock with
internal safety release



Standard Integrated Monoblock
chiller/freezer unit (non waterproof)



Digital controller & temperature display



Heated Door & Frame



Auto defrost, Fan assisted cooling



220v/10amp/1phase for smaller rooms
(15amp for larger rooms)



LED lighting and internal wiring for
lights and door heater



Includes Panel floor



Full assembly instructions



Not suitable for outdoor use

SUPERMARKET & CONVENIENCE STORE EQUIPMENT



INTEGRAL DISPLAY

Our range of plug-in equipment for the smaller store allows for your product to be displayed as effectively as possible.



The semi-vertical or vertical cabinets allow hang sell merchandising providing the store owner with equipment that has a minimal footprint and maximum energy efficiencies



REMOTE EQUIPMENT

Our mid and full height remote multi-deck cabinets are great for those larger supermarkets or stores that want to maximise the floor space.



Cabinets can be customised with your brand colours and various profiles and door options are available. We also supply Hot Food display units for a range of store types.




De Rigo Gem Metro Twist



FEATURES

- Square profile, panoramic end walls
- Optional sliding doors available
- Upper and Bottom trim colour customizable
- R290 refrigerant version available
- LED lighting
- Pull down night blinds
- Adjustable shelves
- Black exterior + interior



Model	H	W	D	Power
1017	2150	1017	850	230v/10 Amp/1 phase
1330	2150	1330	850	230v/10 Amp/1 phase
1955	2150	1955	850	230v/15 Amp/1 phase
2580	2150	2580	850	230v/15 Amp/1 phase



INTEGRAL MULTIDECK WITH DOORS

Callisto CH with Doors



FEATURES

- Natural refrigerant R290
- 5 Shelves
- Acrylic Front Riser
- Multiplexing Kit
- Hinged double pane glass
- Ticket strip
- Electronic Controller
- Black exterior, interior

Model	H	W	D	Power
CH125	2074	1250	830	230v/10Amp/1 phase
CH187	2074	1875	830	230v/15 Amp/1 phase
CH250	2074	2500	830	230v/15 Amp/1 phase

INTEGRAL OPEN FRONTED CHILLED

Tefcold MDX range



FEATURES

- Temp range -1 to +5C adjustable
- Stainless steel structure
- 4 adjustable, tiltable shelves
- Night blind
- Ticket strips
- Digital controller and temp display
- LED lighting

Model	H	W	D
MD1002X	1985	985	640
MD1402X	1985	1335	680
MD1902X	1985	1885	680

- R290 refrigerant
- Black exterior optional

INTEGRAL SEMI-VERTICAL

Tefcold Evo



FEATURES

- Fully automatic
- Digital temperature display
- Adjustable shelving
- Adjustable feet
- Digital controller
- Mirror stainless finish
- 3 shelves
- Fan assisted cooling
- Temp range +1 to +5C adjustable
- Night blinds
- Led lighting
- 3 shelves + base
- Exterior colours available
- R290 refrigerant

Model	H	W	D	Power
Evo900	1510	900	780	230v/10 Amp/1 phase
Evo1200	1510	1200	780	230v/10 Amp/1 phase
Evo1500	1510	1500	780	230v/10 Amp/1 phase
Evo1800	1510	1800	780	230v/15 Amp/1 phase
Evo2400	1510	2400	780	230v/15 Amp/1 phase

INTEGRAL SEMI-VERTICAL

De Rigo Madeira



FEATURES

- +1 to +5 °C temp
- Panoramic glass ends
- Ambient and 60% RH
- Night blind
- Integrated cond. unit
- 3 tiers adjustable shelving
- Canopy lighting
- Automatic, self contained
- R290 refrigerant
- LED lighting
- Black exterior, interior

Model	H	W	D	Power
1017	1652	1017	840	230v/10 Amp/1 phase
1330	1652	1330	840	230v/10 Amp/1 phase
1955	1652	1955	840	230v/15 Amp/1 phase
2580	1652	2580	840	230v/15 Amp/1 phase

INTEGRAL SEMI-VERTICAL

Tefcold NOC multideck



FEATURES

- Ideal for impulse sales
- Ventilated cooling / Auto defrost
- 3 adjustable shelves with tilting function + base
- LED interior light
- Black interior and exterior
- Glass frame surround help save energy
- Frame hinges forward if required
- Add R290 refrigerant
- 230v/10 Amp/1 phase

Model	H	W	D
NOC90CC	1395	900	740
NOC60CC-P	1395	600	740

FEATURES

- Available with either Curved or Flat glass
- Natural refrigerant R290
- Glass rear sliding doors
- Glass ambient shelf
- Stainless deck and rear shelf
- Rear refrigerated under storage accessed by hinged doors
- LED canopy lighting
- LED shelf lighting (available)
- Stainless steel interior
- Grey exterior
- 10amp/220v/single phase
- Integral condensing unit
- Self evaporating
- Auto defrost
- Black exterior, interior
- Temp range +1C / +5C
- 230v/10Amp/1 phase

Model	H	W	D
E125C Curved glass	1315	1250	1202
E187C Curved glass	1315	1875	1202
E250C Curved glass	1315	2500	1202
E375C Curved glass	1315	3570	1202
E125F Flat glass	1315	1250	1217
E187F Flat glass	1315	1875	1217
E250F Flat glass	1315	2500	1217
E375 Flat glass	1315	3750	1217



Tefcold Elara



De Rigo Milos



Available as Remote or Integral on request

Model	H	W	D
1250	1200	1250	1100
1562	1200	1562	1100
2500	1200	2500	1100
3125	1200	3125	1100
3750	1200	3750	1100

FEATURES

- Ventilated system
- Vertical lift-up glass
- Internal canopy light
- Rear sliding doors Hot plate / Bain Marie option available
- Corners available – int/ext 45-90 degrees
- Black exterior, stainless interior
- Natural refrigerant R290
- LED lighting
- 10amp / 220v/ single phase
- Self evaporating
- Auto defrost
- Temp range +1C / +5C
- 230v/10Amp/1 phase

INTEGRAL DISPLAY

Haier Carrier Crown Case - CCSP



FEATURES

- 1.4m/0.9m length joined flexibly, suitable for various layouts
- Double faced LED design
- Enhanced design of air outlet volume, better temperature distribution
- Air return grill and door frame stainless steel for easy cleaning
- Temp range to +2C / +8C adjustable
- Display area 2.90m²
- Glass shelves
- 230v/10 Amp/1 phase

Model	H	W	D
CCSP1410	1472	1413	1067

INTEGRAL ISLAND CHILLER

Tefcold Impulse Island Cooler



FEATURES

- All sides are glass for maximum product visibility
- High loading line
- Great for supermarkets and cafes, general stores
- Can hold fruit, veges, sandwiches and other takeaway items
- Stainless steel bumper bars
- Moveable on castors
- PDC125 has a tilting function to an 11 degree angle if up against a wall or end of aisle
- Black exterior
- Temp range -1 to +5c adjustable
- R290 refrigerant
- Ventilated cooling
- Auto defrost
- 230v/10 Amp/1 phase

Model	H	W	D
PDC90	971	900	845
PDC125	971	1250	1203

REMOTE SEMI-VERTICAL CABINETS

De Rigo Newport Glass



FEATURES

- +3 °C to +5 °C adjustable
- LED lighting to shelves & canopy
- 2 adjustable shelves + base
- Manual night blind
- Black exterior (colour options available)
- Ticket strips & shelf risers

Model	H	W	D	Model	H	W	D
1360-1	1360	1250	1980	1460-1	1460	1250	1980
1360-2	1360	1250	1600	1460-2	1460	1250	1600
1360-3	1360	1875	1600	1460-3	1460	1875	1600
1360-4	1360	1875	1980	1460-4	1460	1875	1980
1360-5	1360	2500	1980	1460-5	1460	2500	1980
1360-6	1360	2500	1600	1460-6	1460	2500	1600
1360-7	1360	3750	1600	1460-7	1460	3750	1600
1360-8	1360	3750	1980	1460-8	1460	3750	1980

FEATURES

- Vertical multideck suitable for the display of dairy, deli, prepacked meat, fruit/veges.
- Available in 2m or 2.2m height
- Available with doors
- Temp range 0 /+2C, +3/+5C, +6/+8C

REMOTE MULTI-DECK CABINETS

De Rigo Euro Bali



Model	H	W	D
1250	2000	1250	890
1875	2000	1875	890
2500	2000	2500	890
3750	2000	3750	890



REMOTE MULTI-DECK CABINETS

De Rigo Angel



FEATURES

- Multi deck chiller
- Available with and without doors
- Revolutionary concept ECOSYSTEM, allows you to obtain innovative energy saving results
- Also available as 2180mm height and 1130mm depth
- Panorama glass ends
- 5 adjustable shelves + base
- Wire or acrylic risers
- Pull down night blinds
- Stainless steel bumper
- Black exterior + interior
- Temp range 0 to +8c adjustable

Model	H	W	D
1875	2060	1875	950
2500	2060	2500	950
3750	2060	3750	950



FEATURES

- 0 °C to 8 °C adjustable
- Front hinged doors with TS or LED lighting
- Parabolic light deflector
- Front riser - wire / plexi
- Panorama glass ends
- 5 adjustable shelves + base
- Pull down night blinds
- Stainless steel bumper
- Black exterior & interior

REMOTE MULTI-DECK CABINETS

De Rigo Puket



Model	H	W	D
Puket	2040	1875	710
	2160	2500	950
	2250	3750	1130



REMOTE DISPLAY

Haier Carrier Multideck - Mendos



FEATURES

- Great for stores with various layouts (depth 750/850/1050mm)
- Suitable for storage of various daily products
- Low front design for bigger display area
- Energy efficient
- Temp range -2-2C adjustable
- Available at 2m or 2.2m high

Model	H	W	D
EU125A	2000	1250	855
EU188A	2000	1875	855
EU250A	2000	2500	855
EU375A	2000	3750	855
LU125A	2000	1250	1055
LU188A	2000	1875	1055
LU375A	2000	3750	1055
LU250A	2000	2500	1055

REMOTE DISPLAY

Haier Carrier Multideck with Doors - MenEco



FEATURES

- Depth (750/850/1055mm) great for stores with various layouts.
- Frameless door design to highlight display
- Temperature optimisation, suitable for various products and meat
- Low front design for bigger display area
- Available at 2m or 2.2m height

Model	H	W	D
EU125	2000	1250	855
EU188	2000	1875	855
EU250	2000	2500	855
EU375	2000	3750	855
LU125	2000	1250	1055
LU188	2000	1875	1055
LU375	2000	2500	1055
LU250	2000	3750	1055

REMOTE DISPLAY

Haier Carrier Multideck Freezer - ADGF



FEATURES

- Glass door freezer
- Options from 2 to 5 doors
- Anti-fog, slow close glass doors
- Thermal insulation and energy saving
- 2m or 2.2m height available

Model	H	W	D
2Door DB-AGDF2D156			
	2040	1562	945
3Door DB-AGDF3D235			
	2040	2343	945
4Door DB-AGDF4D313			
	2040	3124	945
5Door DB-AGDF5D390			
	2040	3900	945

REMOTE MULTI DOOR FRIDGES AND FREEZERS

De Rigo Timor



FEATURES

- Triple glazed hinged doors
- LED Lighting throughout
- Adjustable shelving
- Chiller or freezer
- 5 shelves + base
- Temp range -18 to -22C adjustable
- For chiller 0-+8C adjustable

Model	H	W	D
1562	2180	1562	940
2343	2180	2343	940
3124	2180	3124	940
3905	2180	3905	940
1	2060	3905	940
2	2060	3124	940
3	2060	2343	940
4	2060	2343	940

De Rigo Sumatra



FEATURES

- -20 °C to -24 °C adjustable
- Wide double well freezer

OPTIONS

- Crown ends
- Sliding night covers
- Merchending shelf over
- Sliding glass lids

Model	H	W	D
Sumatra	890	2500	1540
	930	3750	1970



FEATURES

- Flat sliding lids
- Temp range -18 to -25C adjustable
- Large capacity display
- Lift out baskets
- Digital temperature display
- Manual defrost
- Castors fitted
- Robust bumpers
- White exterior and interior
- R290 refrigerant
- SD980 has 4 doors
- 230v/10 Amp/1 phase

Model	H	W	D
SD750	770	2036	936
SD980	770	2536	936



INTEGRAL DISPLAY FREEZERS

SD Island Freezer



FEATURES

- Inner LED light with separate switch
- Plug in model requiring no extra installation
- Low investment and operating costs
- Maintenance-free refrigeration system
- Static cooling system
- Freezing -16 °C to -22 °C adjustable
- Digital Thermostat
- Semi-auto hot-gas defrost and auto-evaporation water tray
- Dividers only
- 230v/10 Amp/1 phase

Model	H	W	D
Metro crown end	830	1860	855
Metro 210	830	2100	855
Metro 250	830	2500	855



INTEGRAL DISPLAY FREEZERS

Metro curved lid Freezer



INTEGRAL DISPLAY FREEZER – DUAL TEMP

De Rigo Fiji Open Freezer/Chiller



FEATURES

- Auto defrost
- Dual temp +0/+5c / -14c to -22c adjustable
- Bumpers
- Integral Cond. Unit
- Orientation to impulse sales and promotions
- Black exterior
- Mounted on castors
- 230v/10 Amp/1 phase

Model	H	W	D
FIJI-BT/TN-O-1500	910	1500	1005
FIJI-BT/TN-O-2000	910	2000	1005
FIJI-BT/TN-O-2500	910	2500	1005

INTEGRAL DISPLAY FREEZER – DUAL TEMP

Tefcold Wall Freezer & Cooler - MTF range



FEATURES

- Ideal for optimising store space
- Easy switchable between cooler and freezer
- Can place chest freezer/chiller underneath
- Heated self closing glass doors
- Black or white exterior
- Adjustable legs
- Temp range -24 to -18c adjustable
- Adjustable wire shelves, white
- LED lighting
- 230v/10 Amp/1 phase

Model	H	W	D
MTF185	2430	1850	745
MTF210	2430	2100	745

INTEGRAL MULTIDECK

AHT Multideck Waterloop Chillers



FEATURES

- Flexible, connectable, plug-in shelf units
- Hermetically sealed refrigeration system
- Fast setup due to Plug & Chill technology
- Layout freedom, simple repositioning and expansion

Kastel Storage bins ST C range



FEATURES

- Compatible with modular ice makers
- Avoids space problems
- Available with a top closing panel
- Stainless steel
- Excellent temperature insulation for better ice durability

Model	H	W	D
ST C 50	1195	788	1016
ST C 300	1905	788	1220
ST C 600	1905	1524	1220
ST C 1000	2464	1524	1220

Kastel Flake Ice Maker KFE range



FEATURES

- Stainless Steel body
- Very dry temperature range
- Flat, Flake ice. 1.5mm thick
- 2 versions available – Classic and the Split

Model	H	W	D
KFE 250	1015	590	815
KFE 600	1110	640	850
KFE 100	1110	640	890
KFE 150	1435	1075	1150

OPEN HOT DISPLAY

Fri Jado Curved Profile



Model	H	W	D
MD-4-60	1912	600	946
MD-4-100	1912	1000	946
MD-4-120	1912	1200	946

Features

- Innovative internal airflow technology
- Unique air-curtain
- MD-4 100/120 available in 3 phase
- Castors fitted
- 3 tiers of angled shelving
- Panoramic glass ends
- Digital thermometer
- Pre-set thermostat
- Top external light canopy
- Front bumpers protection
- Internal canopy lighting

OPEN HOT DISPLAY

Fri Jado Square Profile



Features

- Square design – square glass, black canopy
- Interchangeable price strips on each shelf
- Hot Blanket holding technology – keeps products warm at 65° for at least 4 hours
- Self serve heated Multi Deck display unit
- Angled shelves provide optimum product visibility
- 4 level display
- Front bumpers to protect from shopping carts
- Saves up to 20% on energy by air-curtain technology on each shelf
- 98% recyclable (environmentally friendly)
- Solid back
- Shatter-resistant clear side glass for optimum safety

Model	H	W	D
MD60/4	1972	600	790
MD100/4	1972	1000	790
MD120/4	1972	1200	790

High capacity, small footprint

Modular Convenience Counter



MCC Hot Self Serve

TOP FEATURES

- High capacity on a small footprint: increased shelf space
- Optimal visibility: clear product display due to the transparent sides and top
- Can be combined with refrigerated Modul Convenience Counter models
- LED lighting on each shelf
- Patented Hot Blanket holding technology keeps products warm at $\geq 65^{\circ}\text{C}$
- Hot airflow circulation per shelf
- Thermo pane glass - increased insulation
- Maximum flexibility: 60, 90 or 120 cm wide

STANDARD CHARACTERISTICS

- Inline 3 level heated self serve display cabinet
- Also available as drop-in version
- Slim shelves with adjustable angle
- Energy efficient: reduced energy consumption
- Optional point-of-sales price strips
- Ideal for hot wraps, pies, pastries, chicken portions and other meal solutions

TOTAL DISPLAY AREA:

- MCC 60 cm: 0,72 m²
- MCC 90 cm: 1,15 m²
- MCC 120 cm: 1,58 m²



Patented Hot Blanket holding technology




Three presentation levels




Optimal visibility




MCC 60 Hot




MCC 60 Hot drop-in version





MCC 90 Hot




MCC 90 Hot drop-in version



MCC 120 Hot



MCC 120 Hot drop-in version



	MCC 60 Hot	MCC 90 Hot	MCC 120 Hot
Width	600	900	1200
Depth	750	750	750
Height on stand	1420	1420	1420
Height drop-in	1053	1053	1053
Voltage	1N~230V	1N~230V	3N~400/230V
Frequency	50Hz	50Hz	50Hz
Power	1,85 kW	3,02 kW	4,19 kW

The Modular Convenience Counters put your food in the spotlight: maximum transparency provides an unobstructed view on your products. All counters have an extra slim design and increased shelf space. High capacity on a small footprint.

The counters are easy to adapt to any store format and store size, available in different widths, hot or cold and even as a drop-in version.



MCC Cold Self Serve

TOP FEATURES

- High capacity on a small footprint: large display area
- Optimal visibility: clean and clear product display due to transparent sides, top and shelves
- Can be combined with heated Modul Convenience Counter models
- LED lighting on each shelf
- Best in class performance: OmniCold air flow technology to keep temperatures between -1°C and +5°C (3M1 classification)
- Thermo pane glass - increased insulation
- Product temperature maintained between -1°C and 5°C (3M1)
- Point-of-sales promotion options in price strips
- Maximum flexibility: 90, 120 or 150 cm wide

STANDARD CHARACTERISTICS

- Inline 3 level refrigerated self serve display cabinet
- Also available as drop-in version
- Slim shelves with adjustable height and angle
- Eco-friendly: green R290 refrigerant
- Ideal for sandwiches, rolls, dairy products, drinks and other meal solutions

TOTAL DISPLAY AREA:

- MCC 90 cm: 1,18 m²
- MCC 120 cm: 1,62 m²
- MCC 150 cm: 2,06 m²



OmiCold air flow technology





Three presentation levels





Optimal visibility





MCC 90 Cold





MCC 90 Cold drop-in version





MCC 120 Cold





MCC 120 Cold drop-in version



MCC 150 Cold



MCC 150 Cold drop-in version



	MCC 60 Cold	MCC 90 Cold	MCC 120 Cold
Width	600	900	1200
Depth	750	750	750
Height on stand	1420	1420	1420
Height drop-in	1053	1053	1053
Voltage	1N~230V	1N~230V	3N~400/230V
Frequency	50Hz	50Hz	50Hz
Power	1,85 kW	3,02 kW	4,19 kW

We partner with **SilverChef**

The hospitality equipment
finance specialists.



SilverChef offer flexible finance solutions for new and existing hospitality businesses. To help you get started and grow.

Rent-Try-Buy[®]

The industry's most flexible equipment finance solution. A unique 12-month rental contract with flexible options during and at your end of term.

Benefits

- Flexibility to upgrade or purchase your equipment at any time
- Manageable costs - low weekly, tax deductible rental payments*
- 50% rental rebate available on payments made to date, should you decide to purchase*

Lease-to-Keep[™]

Own your equipment without using up your capital upfront. Spread your payments over two to four years.

Benefits

- Finance your equipment with low monthly payments and a direct path to ownership
- Consistent monthly payments help you manage cashflow
- Lease payments provides you tax benefits*

Contact SilverChef today!

0800 453 010
nzsales@silverchef.co.nz
silverchef.co.nz



* Terms and conditions apply see website for full details. Silverchef.co.nz





☎ 09 580 4244

☎ 0800 244 553

✉ sales@interfridge.co.nz

🌐 interfridge.co.nz

📍 Unit 1/930 Great South Road, Penrose, Auckland 1060